IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): A process for the chemical treatment of <u>at least one</u> lignocellulose <u>material</u>, <u>materials</u>, in particular of at least one piece of wood, characterized in that the method comprising:

<u>impregnating</u> said <u>material with</u> <u>materials are subjected to impregnation by</u> a chemical agent comprising hydrocarbonaceous chains, this

wherein said agent being chosen from comprises mixed anhydrides, except for the mixed anhydride of acetic/benzoic acid, and

said agent being suitable for is capable of providing covalent grafting of a plurality of hydrocarbonaceous chains to said materials.

Claim 2 (Currently Amended): The process as claimed in claim 1, eharacterized in that wherein said agent provides said covalent grafting and the grafting is carried out by a process for the esterification of said at least one lignocellulose materials using material with a chemical agent ehosen from comprising organic anhydrides.

Claim 3 (Currently Amended): The process as claimed in <u>claim 1</u>, <u>wherein elaims 1</u> or 2, characterized in that the treatment is carried out at a temperature between ambient temperature and <u>150 °C</u>. <u>150°C</u> and <u>preferably between 100 and 140°C</u>.

Claim 4 (Currently Amended): The process as claimed in claim 1, eharacterized in that wherein the mixed anhydride comprises a first hydrocarbonaceous chain R and a second hydrocarbonaceous chain R₁.

Claim 5 (Currently Amended): The process as claimed in claim 4, eharacterized in that

 $\frac{\text{wherein R represents is represented by a C}_2 \text{ to C}_4 \text{ carboxylic acid and R}_1 \text{ is } \frac{\text{represented}}{\text{by a C}_6 \text{ to C}_{24} \text{ fatty acid, } \frac{\text{these acids being and}}{\text{being and}}$

said carboxylic acid and fatty acid are saturated or unsaturated.

Claim 6 (Currently Amended): The process as claimed in claim 4, characterized in that

 $\frac{\text{wherein}}{\text{by a C}_{\text{b}}} \, \text{R}_{\text{l}} \, \frac{\text{represents is represented by a C}_{\text{2}} \, \text{to C}_{\text{4}} \, \text{carboxylic acid and R is } \frac{\text{represented}}{\text{solution}} \, \frac{\text{by a C}_{\text{6}} \, \text{to C}_{\text{24}} \, \text{fatty acid, } \frac{\text{these acids being and}}{\text{solution}} \, \frac{\text{and}}{\text{solution}} \, \frac{\text{constants of the constant of th$

said carboxylic acid and fatty acid are saturated or unsaturated.

Claim 7 (Currently Amended): The process as claimed in claim 1, characterized in that wherein the mixed anhydride comprises is the mixed anhydride of acetic/octanoic acids.

Claim 8 (Currently Amended): The process as claimed in one of claims 1 to 7, characterized in that the impregnation claim 1, wherein said impregnating is carried out in the presence of a basic catalyst.

Claim 9 (Currently Amended): The process as claimed in one of claims 1 to 7, characterized in that the impregnation claim 1, wherein said impregnating is carried out in the presence of a neutral catalyst.

Claim 10 (Currently Amended): The process as claimed in one of claims 1 to 7, characterized in that the impregnation claim 1, wherein said impregnating is carried out in the presence of a weak acid catalyst.

Claim 11 (Currently Amended): The process as claimed in one of claims 1 to 7, characterized in that the impregnation claim 1, wherein said impregnating is carried out in the presence of a catalyst.

Claim 12 (Currently Amended): The process as claimed in one of claims 1 to 7, characterized in that the impregnation of the lignocellulose materials claim 1, wherein said impregnating is carried out by a dipping process.

Claim 13 (Currently Amended): The process as claimed in one of claims 1 to 7, characterized in that the impregnation of the lignocellulose materials claim 1, wherein said impregnating is carried out by a spraying process.

Claim 14 (Currently Amended): The process as claimed in one of claims 1 to 7, characterized in that the impregnation of the lignocellulose materials claim 1, wherein said impregnating is carried out in an autoclave.

Claim 15 (Currently Amended): The process as claimed in one of claims 1 to 14, characterized in that it is carried out on a claim 1, wherein the at least one lignocellulose material is at least one piece of wood, wood, the species of which is chosen from in particular oak, pine, fir, curupixa or ouealyptus.

Claim 16 (Currently Amended): A piece based on An article comprising fibers of lignocellulose material, in particular a piece of wood, obtained by the process as claimed in claim 1, wherein any one of the preceding claims, characterized in that the lignocellulose said fibers are homogeneous and exhibit a smoothed appearance.

Claim 17 (Currently Amended): A piece based on An article comprising fibers of lignocellulose material, in particular a piece of wood, obtained by the process as claimed in any one of claims 1 to 15, characterized in that claim 1, wherein the degree of absorption is substantially in the region of 3.5%.

Claim 18 (Currently Amended): A piece based on An article comprising fibers of lignocellulose material, in particular a piece of wood, obtained by the process as claimed in any one of claims 1 to 15, characterized in that claim 1, wherein the degree of swelling is substantially in the region of 3.5%.

Claim 19 (New): The process as claimed in claim 15, wherein said wood is selected from the group consisting of oak, pine, fir, curupixa, eucalyptus and mixtures thereof.